



File Name: compustar remote manuals.pdf

Size: 3857 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 9 May 2019, 20:57 PM

Rating: 4.6/5 from 735 votes.

Status: AVAILABLE

Last checked: 1 Minutes ago!

In order to read or download compustar remote manuals ebook, you need to create a FREE account.

[**Download Now!**](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with compustar remote manuals . To get started finding compustar remote manuals , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

compustar remote manuals

Please upgrade your browser to improve your experience. Please upgrade your browser to improve your experience. Please upgrade your browser to improve your experience. Find a Dealer. Please try again. Please try again. In order to navigate out of this carousel please use your heading shortcut key to navigate to the next or previous heading. Register a free business account Please try your search again later. This is for the programmer only it does NOT come with usb updater, y cable and extension cable. To calculate the overall star rating and percentage breakdown by star, we don't use a simple average. Instead, our system considers things like how recent a review is and if the reviewer bought the item on Amazon. It also analyzes reviews to verify trustworthiness. Please try again later. THE BRYAN 5.0 out of 5 stars But to program the features of the alarm, I needed a programmer. The closest dealer was 50 miles away one way and I didn't want to drive all the way over there to change a feature. Plus they are not supposed to let you use their programmer. So I decided to buy my own. Took a couple of tries to learn that I had to write the settings back to the alarm after I was done. But other than that, it was pretty straight forward and easy to use as long as you had the programming guide in front of you. Buy this, look up your option tables, and change it easily and quickly right on your own!!! Highly recommend for all Compustar owners. So happy this is available to us!! Just another reason I'm in love with my system and recommend it to everyone!! WAAAAAY better than Viper!!! Thank you Compustar!!! ALSO, be CERTAIN to check the listing for whether or not any cables are included. They USED to be, but recently, the OP500 started to be packaged WITHOUT any cables in the box. If you have a SHORT antenna cable lead in your car, you will NOT receive the antenna extension cable needed in order to plug in the OP500. <http://freeorden.com/media/81101a-manual.xml>

- **compustar remote manuals, compustar manual remote start, compustar remote manual 2wt10r-ss, compustar remote manual 2w9000fmr, compustar remote manual 2w8000fmr, compustar remote programming push to start, compustar remote reprogram, compustar remote manuals, compustar remote manuals, compustar remote manual, compustar remote starter manuals, compustar remote start manuals, compustar 600r remote starter manuals.**

This cable is NOT available for order from anywhere that I could find. It does not seem to even have a part number. Strangely, you CAN find the USB cable used for updating the firmware available, even though that is USELESS to you unless you're an authorized dealer. It seems that Firstech not only makes it extremely difficult for equipment owners to have control over the hardware that they own, but also extremely frustrating. Please take these safety precautions into consideration under the following conditions The model name. Page 4 LCD Icons Icon Explanation. Icon Explanation Indicates that your vehicle has autostarted properly or that Page 6 Diagnosing problems with AutoStart Activating Reservation Mode Manual Transmission only. If there is a problem in autostarting your vehicle, the CompuStar. Page 7 Valet Mode. While the vehicle is in valet mode, only the keyless entry function will be available. Valet Mode. Page 8 Limited Lifetime Consumer Warranty Firstech, LLC. Firstech, LLC Warrants to the original. Page 9 USER'S GUIDE GUIDE DE L'UTILISATEUR Page 13 Programmation de la Autres bouton s d e fonc tion Le systeme Compustar permet la. Page 14 Icône Explication Icones LCA. For a better experience, we recommend using another browser. Learn more Facebook Email or phone Password Forgotten account. Sign Up Related videos 151 2006 Toyota 4Runner. Yes we're open during Covid 19. Car keys while you wait. If you need a duplicate or lost your only key we can help. Call 7737725424. We also can be text

messaging at the same number. Two 2way remotes included. Hurry before they're gone. Call 7737725424 to schedule today. European vehicles not included. We have a few remaining compustar G15 2way Remote starts kits left. These come with one 2way and one 1way companion remote. Keeping your vehicle wiring in tact and NOT cut into. Compustar SLICE 2way installed with a THarness so no wires cut at all. Call or text 7737725424 to schedule an appointment. <http://www.consili.nl/userfiles/8103-manual.xml>

Slice comes with "two" 2way 4000 feet range LED confirmation remotes. They're on SALE while supplies last. Limited quantities are remaining. We do many manual transmission remote starts, yes it's perfectly safe as long as you use the correct parts. With compustar you can rest assured it will not accidentally start in gear. If so, please try restarting your browser. TwoWay FM Remote Operation is subject to the following two conditions: CAUTION Changes or modifications not expressly approved by the party. By Firstech, LLC. Made in China. CAUTION The User that modifications to the unit may void the user's. By Firstech, LLC. Your Warranty. Page 14. Page 2. Please take these safety precautions into consideration under the following: When servicing your automobile i.e. changing the oil, washing your car, the CompuStar. There is a safety shutdown switch under. However, if the switch has been damaged or the switch has been installed improperly, Whenever you loan your vehicle to an individual who is not familiar with Compustar, This will prevent the borrower from. Important! Under normal circumstances, Reservation Mode is cancelled. Please verify that the opening of any door or if any of the doors or hatchback are not. Do not set Reservation Mode if the windows are open or if there is anyone inside the. Remote start installation in a manual transmission vehicle. The model name, 2W8000FMR, 2W8000FMR 2nd is a Two Way 433Mhz. Frequency Modulated Remote with Liquid Crystal Display. This transmitter allows you to activate multiple functions by pressing different. Description of Remote Appearance. If the Compustar system is installed in a manual transmission vehicle, extra. This equipment has been tested and found to comply with the limits for a digital device, These limits are designed to provide reasonable. This equipment. However, there is no guarantee that interference will not occur in a particular. Front. Page 3. Side. Page 4. Rear. Indicates if RPS is on.

The remotepager comes with CompuGLO, which is a unique color LCD display. There are differing icons that will appear on your CompuGLO LCD indicating what. Indicates that someone is paging you from your vehicle. Indicates that your remotepager is transmitting signals to the. Indicates that vibration mode is on. Indicates that your car is locked or unlocked. Displays remaining battery life. Indicates that your door is open. LCD Icons. Icon. Indicates that your vehicle has autostarted properly or that the. Explanation. Indicates that Timer Mode is on. Indicates that your hood is open. Indicates that Turbo Mode is on. 2W8000FMR. Indicates that your trunk is open. Indicates that Passive Arming Mode is on. Indicates that 2nd Vehicle Mode is on. 2W8000FMR2nd. Indicates that the Shock Sensor has been triggered. Indicates that Shock sensor is turned off. Indicates that you are in Valet Mode. Indicates that your parking lights are flashing. Indicates that your siren is turned on. Page 5. RemotePager Button Functions. Buttons. Pressed For. Auto Arming turned On. Auto icon will be turned on. Longer range Auto Arming On. Auto icon Flashes.. Auto Arming turned Off. Page 6. Panic, Press I to turn off the siren. Programming Menu 1. Programming Menu 2. Note I button. Proceeds in 1. At 2, Represents pressing the button for 2 seconds. Represents simultaneously pressing the buttons. Function. Button. Pressed For. Pressed For. Tones will sound for confirmation. Vibration mode on or off, tones will. Note Step 2 must be completed within 15 seconds. If not, start over at step 1. RemotePager Learn Routine. The Compustar system will allow up to three remotes to be programmed to one. More Button Functions. Tones will sound for confirmation. The parking light will flash once with successful. Step 2. Within a 7 second period after cycling the ignition for the 5th time, You can continue programming. Time setting is off. Tones will. Page 8. Reservation Mode. Press button II for 2 seconds to autostart an automatic transmission engine.

Remember, that a key in the ignition is required to drive the car. For manual transmission vehicles, please use reservation mode. Press button II for 2 seconds in order to turn off an autostarted car. The engine will run 15 or 25 minutes 25 or 45 min for diesel depending on presetAntiGrind. The antigrind circuit an optional feature provided by your installer prevents youIn order to autostart your manual transmission vehicle, you must first set the. CompuStar system to Reservation Mode before leaving your vehicle. The purposeReservation mode is intended for use on MANUAL TRANSMISSIONS ONLY and NOT FOR AUTOMATIC TRANSMISSIONS. Reservation Mode must be engaged each and every time you leave your manualNote The system is not recommended for vehicles with removable tops. Important requirements to activate Reservation Mode. The transmission must be in the NEUTRAL position. The vehicle windows must be rolled up. Do not set the reservation mode with people in the vehicle. Do not autostart the vehicle with people in the it. Activating Reservation Mode Manual Transmission only. Diagnosing problems with AutoStart. If there is a problem in autostarting your vehicle,the CompuStar system will do oneOtherwise, it will attempt toIf, after three times, the vehicle will not start or stayIn either case, please see yourError Number. Error Reason. Engine On. Key On. Door Open. Trunk Open. Brake On. Hood Open. Reservation Off Manual Transmission Only. Page 9Step1 After arriving at your destination, and BEFORE TURNING. Step2. Step3. Step4. Step5. YOUR ENGINE OFF, place the transmission in the Neutral position. Activate the parking brake. Remove your foot from the foot brake. Remove the key from the ignition, and the engine will remain running. Exit the vehicle and close the door within two minutes afterThe engine will shut off and reservationYour vehicle is now ready for autostarting.

<https://incentives-sales.com/images/camera-sony-a200-manual.pdf>

However, the reservation mode willOnce cancelled, you will have to start thePage 10Take care to not lock your keysImportant! If you try to autostart the vehicle when reservation modeWhen you press the autostart button, the remote will beep three times. The car parking lights will flash three times, pause, then flash seven times. Canceling Reservation Mode. If you do not want to set reservation mode, shut off the engine before you exit theYou did not activate the parking brake or pressed the foot brake when youYou released the parking brake while the engine was running. You entered Valet Mode after the Reservation Mode has been completed.Your system will disarm automatically if your remoteSetting Auto Arming Function. The range varies significantly depending on the radio signal environment. Each time you press button I for 2 seconds. First timeSecond time Auto icon flashes for longer range. Third timeTurbo ModeValet Mode. Valet Mode is very useful when loaning your vehicle or having it serviced. In order to manually enter Valet Mode, insert your key into the ignition and turnYou can exit Valet Mode only by pressing buttons. Safety Shut Down Features. The CompuStar 2W8000FMR, 2W8000FMR2nd system has several shut down safetyPage 11. In this mode, if the emergency brake has been set, the engine will continue to runIt will run until two minutes after theConsult the authorized dealer for this mode.This RemotePager is able to operate a 2nd vehicle. If this mode is turned to 2nd Car,To Exit 2nd Car press. Page 12Firstech, LLC Warrants to the original purchaser that this product shall be free of defectsWhen the original purchaser returns the product to the retail store where it wasCompustar.The product's warranty is automatically void if its date code or serial number is defaced,This warranty gives you specific legal rights, and you may also have other rights,Page 13. Page 14PDF Version 1.4. Linearized No. XMP Toolkit 3.1.1111. Producer Acrobat Distiller 5.00 for Macintosh.

<http://karmakine.com/images/camera-instruction-manual.pdf>

Creator Tool Adobe Illustrator CS2. Thumbnail Width 196. Thumbnail Height 256. Thumbnail Format JPEG. Thumbnail Image Binary data 9904 bytes, use b option to extract. Creator mac1. Document ID uuidc29cd20e4fe44e13a723d406df81f885. Instance ID uuid635b244a9deb43dcbfc27aac8de45180. Page Count 8. For KITAE. Bounding Box 13 12 602 782. Container Version 9. Creator Version 12. Author mac1. Image Height 770. Image Width 589. Image

Size 589x770. Megapixels 0.454. Something went wrong. View cart for details. User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign. So if you drop it on the ground or in water, you'll know that your remote will still work flawlessly. The RF1WG6APCN remote is Compustar's most durable remote due to its heavy-duty and water-resistant casing. So if you drop it on the ground or in water, you'll know that your remote will still work flawlessly. Up to 3000 feet of range, water resistant and works with all Compustar systems. The RF1WG6APCN remote is Compustar's most durable remote due to its heavy-duty and water-resistant casing. This is the perfect remote if you are a first-time remote start user. Our client waiting area is closed vehicles must be dropped off. Hours of Operation Sunday Closed Monday Closed Tuesday through Friday 9-6. Learn more opens in a new window or tab Read item description or contact seller for postage options. This amount is subject to change until you make payment. For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab This amount is subject to change until you make payment. If you reside in an EU member state besides UK, import VAT on this purchase is not recoverable.

For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab See the seller's listing for full details. Contact the seller opens in a new window or tab and request a postage method to your location. Please enter a valid postcode. Please enter a number less than or equal to 1. Sellers may be required to accept returns for items that are not as described. Learn more about your rights as a buyer. opens in a new window or tab You're covered by the eBay Money Back Guarantee if you receive an item that is not as described in the listing. Granted, this is not a project for the faint of heart, but if you're confident enough to purchase this product and give it a go, the mfr should be willing to at least answer some questions. So, this worked for me and was priced right and I've done several of these before so I got it all sorted out. But Compustar really should provide better tech support. I installed viper for the majority of my career, over that last several years I've seen compustar out-engineer directed elec. Their bypass firmwares are the most reliable and their hardware they use in the cm7200s are the best and most impressive I've ever seen. I recommend professional installation of this product, and I definitely recommend that you invest in this product. Programming is straightforward. All Rights Reserved. User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign. Nearly every call is the result of one of the situations below and is easily solved. Mobile Edge is proud to offer Compustar at our facility in Leighton, PA. Browse Compustar remote car starters here. Click the photo for a larger image.

Also, many remote car starters will revert to valet mode when the vehicle is disconnected for service. The remote car starter can be put into this mode to prevent the vehicle from starting remotely while allowing keyless entry and certain other functions to work. You would do this when having service done to your vehicle. Press the Start button, and your car should be warm and toasty! Many times, customers will accidentally bump this switch during day-to-day driving, causing the remote starter to go into valet mode. This is easily corrected in most cases by simply flipping the switch in the other direction. The location of the hood pin can vary from vehicle to vehicle. Note that, in some cases, a tilt switch is used in lieu of a hood pin. If equipped, Lock and Unlock still function. Without this, a mechanic could be seriously injured if the vehicle was remotely started while they were working on it. In most cases, this is accomplished by a hood pin switch or a hood tilt switch. Either of these devices will tell the car starter when the hood is open. These devices can fail over time or be broken if a mechanic leans on them accidentally. Replacing the hood switch is a simple matter and can be done at most mobile electronics stores. Like any "computer" device, sometimes they lose memory. When this happens, simply call the store that installed it for you. In some cases, they may be able to tell you how to reprogram it over the phone. Other times, you will

have to return to the store for a technician to program it. In any case, this is rare with higherend remote starters. Many remote car starter remote controls have the ability to start two vehicles. Most are simply untrue. If you get a quality remote car starter installed by a professional installer, you will minimize your odds of having problems. We do not have the resources to provide technical support for starters not installed at Mobile Edge. Thank you for your understanding.

It is filled with over 25 pages of great advice to ensure that your buying experience is a great one! The other day I put the key in the ignition and put it in accessory mode and hit the start button on the remote and the car started. It only starts in that mode and I don't know why. I might add that the car needs a starter because when I try and start it sometimes I only get a click when using the ignition switch. It would do the same with the remote until recently. Is there something I might have done to make the remote only start or try to start in accessory mode only. My Best, John There is a good possibility that this will correct your issue with the remote starter also. I have numbers on my key fob and says its data start but can't find nothing on it. Its on a Chrysler 300c if that helps it unlocks doors locks and trunk but a click noise comes from under dash. I hit start and it clicks six times and no start It should tell you on the brain what brand it is. Located burnt 30 fuse at remote starter which supplies current to the starter. Replaced fuse and everything works. Thanks for your post, it helped me solve my remote start issue. Remove Two screws, often hold the outside antenna, remove the screws Lift out the Antenna from its connector APPLY "Dielectric grease" the same as small packets of, Sparkplug Dielectric grease OR Light bulb connection grease, purchased at any auto parts Application on the connector terminals. This will make positive connection and protect the electrical integrity of the terminals. Regards Katherine R McCall An where can I buy one. Please help I have the model with the switch under the driver side I flip it opposite and then nothing flashes nor starts and flip it back then it does flash and tries to start several times also next to the switch it has a black pin up can push in I don't know what's that for I press it hold it but doesn't seem to do anything Your dealer should be able to reprogram this very easily.

You will need to take the vehicle back to the dealer that installed it. They may or may not charge for this service. The car's engine will "try to start", but it sounds as if it isn't getting enough gas to the engine, or the ignition is not turning long enough for the car to start. It is really difficult to give you any kind of diagnosis without actually taking a look at it. If the car is starting fine with the key then I would tend to look towards the remote starter, but that is not a certainty. Just for future reference Your situation, unfortunately, is exactly what can happen when a remote starter is bought at one place and installed in another. And you get stuck in the middle. When I press the button to lock the doors I get 3 beeps and the display shows me my hood is open. The car still locks but sometimes within minutes, sometimes within hours the remote beeps twice and says the doors have been opened the doors don't unlock though. When I try to remote start the display again tells me the hood is open and nothing happens. One the surface, it sounds like you have a defective or misaligned hood pin. I would highly recommend that you take the vehicle back to the installer and let them check it out. They should be able to solve this issue for you. When I hit buttons on remote my hazard lights flash 1 or 2 times, but car will not start. Any ideas why this is happening and what I can do to correct it The dealer wasn't aware of it and I discovered it by accident. I was playing around with the remote and I discovered a valet pamphlet in the papers I was throwing out. Today I got the battery replaced and now the remote start doesn't work. The truck will start and then cut off within the second and the security light will come on and the cluster gauges will just freeze and the lights would remain on as if the truck is running.

The fob won't unlock the door and I would have to unlock the door with the key and hit the brake to get the cluster gauges to unfreeze and the parking lights to turn off. I'm unsure of where the system was installed as this truck had 2 previous owners. Any suggestions This would be an explanation for why the truck starts and then stops right away. I can't explain why the remote is no longer

unlocking. I would contact the manufacturer and see if they can help or refer you to a local dealer for assistance. I just had the battery replaced in the car, and now the remote does not start the car. The parking lights come on for two seconds, then turn off, then flash for three times slowly. Car does not start. Before the parking lights came on, then go off while starting, then come back on when car starts. These devices typically need to be programmed to your car. Occasionally, losing power or replacing a battery may result in the device losing programming. I would go back to the shop that installed it and asked them to take a look. I'll bet its a simple fix. What I had done while changing the battery, was leave the key in the On position. I removed the ground wire for 30 seconds, and reconnected with the key out of the ignition, and everything is back to normal. Thanks Glad it worked out for you! I noticed that once I pushed the autostart button my park lights did not come and the LED light in the car which controls the autostart was on as a steady light as opposed to flashing. I did research on the web and figured out if I turned the ignition switch from off to the run position a few times I could get the LED light to flash again but autostart still does not work. Do you know what would cause this problem. I can't seem to figure out how to reprogram the fob for autostart to work again. It is winter and really cold where I live and not happy about going outside in the cold to start my truck. I would either contact the dealer who installed it or the manufacturer directly.

It does sound to me that the remote has lost programming so I think you are on the right track! Anyway, when I got the car the remote start worked one time then months later I went to use the remote start and it won't work. Will I need to just have this old one taken out and a new one installed. Looking forward to a response. Let me know what city you are near and perhaps I know someone in your area that can help. Sorry about that. The remote worked fine until last winter when travelling to London. I'm not sure what I did but since then, the remote start will not start my car. I have a remote with a single press button key diagram and no other buttons on this remote. When I try to start the car, it beeps once which after a few seconds should start but then it beeps again 4 times and done. Nothing happens. I've tried to find a solution in the owner's manual, but unfortunately, it's french and although I can read it and write, there is nothing in there that seems to have anything to do with the remote starter. Can you help me out or do I have to go to the dealership to fix this problem. Will be looking forward to your reply! Thanks! Always go to the original installer if possible with issues. And London is pretty nice!!! Chantal I would contact the company. Car itself starts fine with key. Another question my father's car is an 07 chevy malibu would i be able to use the same kit in my 06 chevy colorado since he doesn't care to use it Starting 2 years ago, the remote doesn't beep but it still opens closes door starts engine and flashes as confirmation as normal. You know why it doesn't beep I'd guess that it is a defect in the remote, but I would contact the manufacturer directly. The car will start with the key if i wait 10 to 15 minutes. It was a present install by a large retailer that is now out of business. Any help would be greatly appreciated. It likely has lost programming.

You should contact the starter manufacturer or the bypass manufacturer to determine the proper programming procedure. When I press it the car sounds like it's going to start, even the radio comes on, but instead of starting it beep 4 times. Any idea what the code for 4 beeps is I would suspect that it is a tach or transponder issue. You should check with the shop that installed it. It's worked like a charm for all of these years. Today it decided not to start for me, nor did the rear lights on the car come on as they normally do before it starts, etc. When I tried to set it again tonight, it set just fine. I can't figure out what is wrong. Any ideas I would check the manual or contact your installer. Probably nothing major. I watched the video on taking it out of valet mode. I just get lights flashing she wont start. When you press the remote you can hear a click but it won't start. Any idea what could be wrong. Thanks Check with your installer and they should be able to get it taken care of. The car starts but my remote doesn't receive confirmations even if it is in range. I dont know what the problem is. Please go to the shop where you had it installed and they should be able to diagnose it

for you. I do not know the type as this is a second hand vehicle i just purchased. My problem is my remote will not unlock my doors. It will do everything else but not unlock my doors. Any ideas. Ps. when i push the unlock button the interior lights come on and the dashboard lights come on just like it would if the doors unlocked. If that is the case, I would check any wiring that is associated with the power door locks and the remote starter and make sure that there is not a loose, bad or shorted connection. THE tech whoever that was hooked up the door lock relay to the wrong wire. Sometimes worked but most times didn't. Was rewired and works like a charm now. Thanks for the help. I hopee you can Help me whit so little info.

Thanks Are there batteries on the responder in the car that need to be replaced also Dealer added a Vioer 5301. When they added the Viper, they disabled the factory key fob remotes for the doors. Why Why can't the factory key fobs be used to open the doors. Don't like having to press the Viper 3 times to unlock the doors. I would consult with the dealer and find out why. Tough to say. Usually it's is the other way around and it's a simple matter of taking the device out of valet mode. Sorry I don't have a better answer. It worked flawlessly until about a year and a half ago. Since then if the temperature drops below about 30 degrees the vehicle won't start. It does act like it tries too and by that I mean that it will act like it has a dead battery in the truck. You know, the old eruun, eruun click.I have replaced the battery in the remote unit and the truck as well. Same problem. If the temperature warms up however it always starts like it always did. Maybe it too just got old like myself and it doesn't want to work in the cold. Have you ever heard of this before. Thoughts Thanks in advance. A couple of thoughts. 1. Possibly it needs to have the tach single reprogrammed to crank slightly longer. Worth a shot. 2. Gm vehicles are notorious for issues with the ignition switch and wiring. Double check all of your wiring and connections. Could just be a loose ground or power connection from the remote starter to the ignition harness. Cold weather would put more of a demand on the ignition circuit. I'm interested to hear what you find. Is my battery being drained by the remote starter. There are so many myths out there and I just want to know if it is affecting my car in any way. Sounds like there is definitely a problem and the shop that installed it should take the time to diagnose it. I have no book or info about the astero that was installed with this vechile or who installed it. Any info would be greatly appreciated, as I have never had autp start before. Thanks.